

V. 30.



UNITED STATES NATIONAL MUSEUM  
BULLETIN 149

COMPOSITION AND STRUCTURE  
OF METEORITES



SMITHSONIAN INSTITUTION  
WASHINGTON  
D. C.

SMITHSONIAN INSTITUTION  
UNITED STATES NATIONAL MUSEUM

BULLETIN 149

---

COMPOSITION AND STRUCTURE  
OF METEORITES

BY

GEORGE P. MERRILL

*Head Curator of Geology, United States National Museum*



UNITED STATES  
GOVERNMENT PRINTING OFFICE  
WASHINGTON : 1930

## CONTENTS

	Page
Foreword.....	III
Elemental composition of meteorites.....	1
Mineral composition of meteorites.....	1
Chemical composition of meteorites.....	15
External and internal features of meteorites.....	17
Chondrule, its nature and origin.....	29
Origin of other types of structure in meteoric stones.....	39
Metamorphism in meteorites.....	40
Meteorites compared with terrestrial rocks.....	45
Tektites.....	47
Combustible meteorites.....	48
Chondritic structures in terrestrial rocks.....	51
Methods of analyses of stony meteorites.....	57

### LIST OF PLATES

Frontispiece. George Perkins Merrill.

PLATE 1. External form of Allegan and Bath Furnace stones; and of Mazapil iron.

2. (1) Carbon nodule in Canon Diablo meteoric iron; (2) Re-fused feldspar in Estherville meteoric stony iron.
3. (1) Maskelynite in Troup meteoric stone; (2) Merrillite in New Concord meteoric stone.
4. (1) Fragmental twinned pyroxenes in Johnstown meteorite; (2) Fragmental pyroxenes in Estherville meteorite.
5. (1) Widmanstätten figures, enlarged; (2) Schreibersite in Arispe and (lower) in Tombigbee irons.
6. (1) Meteoric iron from Dungannon, Va., showing partial granulation; (2) The same greatly enlarged.
7. (Upper) Swathing kamacite in Admire pallasite; (lower) Octahedral structure and Reichenbachian lines in Carleton iron.
8. (Upper) Neuman lines in Braunau iron; (lower) Granular structure in Mejillones iron.
9. (Upper) Octahedral iron with silicate inclosures, Four Corners, N. Mex.; (lower) Persimmon Creek, N. C., iron.
10. (Upper) Brecciated hexahedrite, Kendall County, Tex.; (lower) Coarsest or kamacite octahedrite, Ainsworth, Nebr.
11. (1) Swollen kamacite in Mesa Verde iron; (2) Structure of Four Corners iron, enlarged; (3) Quartz crystals in St. Marks stone; (lowest) Chondrules in Sharps, Va., stone.
12. Grahamites from Morristown and Crab Orchard stony irons.
13. (Upper) Estherville stony iron; (lower) Same with inclosure.
14. Pallasite from Brenham, Kans.
15. (Upper) Section of the Admire pallasite; (lower) An iron-rich portion of Brenham pallasite.
16. Microstructure of (1) El Nakhla stone and (2) of the Shergotty stone.